

目 次

● 泵理论与技术

栏目主编：王福军 袁建平

叶片进口边穿孔对离心泵空化性能的影响

赵伟国,潘绪伟,宋启策,李尚升(461)

Multi-point airfoil optimization for axial-flow fan

DUAN Haojie, LIU Lei, DAI Ren(469)

叶片包角对混流泵作透平的特性影响

杨孙圣,邵珂,戴韬(475)

大型轴流泵反向发电压力脉动及流固耦合

周颖,郑源,何中伟,孙奥冉,张付林,汪昊蓝(480)

泵系统电动机效率的测量方法

顾祖坤,袁建平,骆寅,石洋(486)

● 水利水电工程

栏目主编：戴会超 仇宝云

泄洪闸胸墙压坡段的数值模拟

岳书波,张鸿清,刁明军,代尚逸(491)

砾石覆盖对海涂围垦区粉砂土坡面土壤可蚀性影响试验研究

王洪德,徐小明,余冬立(498)

● 流体工程

栏目主编：王正伟 林建忠

盘式制动器摩擦件温度对动态摩擦载荷的影响

张西良, 刘宁, 顾阳阳, 翁倩文, 徐云峰, 罗一闽(504)

基于 CFD 动网格技术的三偏心蝶阀开启特性

何庆中, 刘玉聪, 赵献丹, 刘佳(508)

Influence of liquid water content on wind turbine blade icing by numerical simulation

LI Yan, SUN Ce, JIANG Yu, YI Xian, GUO Wenfeng, WANG Shaolong, FENG Fang(513)

喷针-环形电极配置对感应荷电喷雾的影响

刘建河, 李星光, 许晏铭(521)

喷水推进器全流道空化流动数值模拟

岑春海, 潘中永, 王雪豹(528)

● 农业水土工程

栏目主编：康绍忠 许迪

施肥机管路布置对文丘里施肥器吸肥性能的影响

王海涛, 王建东, 杨彬, 郭山强, 莫彦, 张彦群(534)

考虑气象因子的不确定性灌溉水资源优化配置

德佳硕, 郭萍, 张成龙, 岳琼, 单宝英(540)

西北地区地表太阳总辐射计算模型适用性评价

张艺璇, 崔宇博, 冯禹, 乐进华, 王军, 刘双美(545)

CONTENTS

- Effect of blade perforation near inlet edge on cavitation performance of centrifugal pump *ZHAO Weiguo, PAN Xuwei, SONG Qice, LI Shangsheng(461)*
- Multi-point airfoil optimization for axial-flow fan *DUAN Haojie, LIU Lei, DAI Ren(469)*
- Influence of blade wrap angle on characteristics of mixed flow pump as turbine *YANG Sunsheng, SHAO Ke, DAI Tao(475)*
- Pressure fluctuation and fluid-solid coupling in reverse power generation of large axial flow pump *ZHOU Ying, ZHENG Yuan, HE Zhongwei, SUN Aoran, ZHANG Fulin, WANG Haolan(480)*
- Measuring method of motor efficiency of pump system *GU Zukun, YUAN Jianping, LUO Yin, SHI Yang(486)*
- Numerical simulation of breast wall with pressure section of spillway sluice *YUE Shubo, ZHANG Hongqing, DIAO Mingjun, DAI Shangyi(491)*
- Experiment on effect of rock fragment cover on slope erodibility of saline-sodic soil in costal reclamation area *WANG Hongde, XU Xiaoming, SHE Dongli(498)*
- Influence of temperature of frictional parts on dynamic friction load in pneumatic disc brake *ZHANG Xiliang, LIU Ning, GU Yangyang, WENG Qianwen, XU Yunfeng, LUO Yimin(504)*
- Opening characteristics of triple eccentric butterfly valve based on CFD moving grid technology *HE Qingzhong, LIU Yucong, ZHAO Xiandan, LIU Jia(508)*
- Influence of liquid water content on wind turbine blade icing by numerical simulation *LI Yan, SUN Ce, JIANG Yu, YI Xian, GUO Wenfeng, WANG Shaolong, FENG Fang(513)*
- Influence of needle-ring electrode configuration on induction charging spray *LIU Jianhe, LI Xingguang, XU Yanming(521)*
- Numerical simulation of cavitation flow in whole flow passage of water-jet propulsor *CEN Chunhai, PAN Zhongyong, WANG Xuebao(528)*
- Effect of pipeline layout of fertilizer applicator on performance of Venturi injector *WANG Haitao, WANG Jiandong, YANG Bin, GUO Shanqiang, MO Yan, ZHANG Yanqun(534)*
- Optimal allocation of irrigation water resources based on meteorological factor under uncertainty *DE Jiashuo, GUO Ping, ZHANG Chenglong, YUE Qiong, SHAN Baoying(540)*
- Evaluation on applicability of global solar radiation calculation model in Northwest China *ZHANG Yixuan, CUI Ningbo, FENG Yu, YUE Jinhua, WANG Jun, LIU Shuangmei(545)*